

Sheet 1 of 3  
09/980853

Form PTO-1449		U.S. Department of Commerce Patent and Trademark Office		Atty. Docket No. 58040-A-PCT-US/JPW/ADM	Serial No. 09/980,853
INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)				Applicants: Jonathan M. Barasch et al.	
				Filing Date: November 2, 2001	Group Art Unit

## U.S. PATENT DOCUMENTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate

## FOREIGN PATENT DOCUMENTS

Initial		Document Number	Date	Country	Class	Subclass	Translation	
							Yes	No
		0 0 4 1 7 1 3	7/20/00	PCT				

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

	Barasch, J., L. Pressler, J. Connor, and A. Malik. 1996. A ureteric bud cell line induces nephrogenesis in two steps by two distinct signals. <i>Am. J. Physiol.</i> 271: F50-F61;
	Barasch, J., J. Qiao, G. McWilliams, D. Chen, J.A. Oliver, and D. Herzlinger. 1997. Ureteric bud cells secrete multiple factors, including bFGF, which rescue renal progenitors from apoptosis. <i>Am. J. Physiol.</i> 273: F757-F767;
	Barasch, J., J. Yang, J. Qiao, P. Tempst, H. Erdjument-Bromage, W. Leung, J.A. Oliver. May, 1999. Tissue inhibitor of metalloproteinase-2 stimulates mesenchymal growth and regulates epithelial branching during morphogenesis of the rat metanephros. <i>J. Clin. Invest.</i> 103: 1299-1307;
	Bard, J.B.L. and A.S.A. Ross. LIF, the ES-cell inhibition factor, reversibly blocks nephrogenesis in cultured mouse kidney rudiments. <i>Development</i> 113: 193-198, 1991;
	Boccaccio, C., M. Ando, L. Tamagnone, A. Bardelli, P. Michieli, C. Battistini, and P.M. Comoglio. 1998. Induction of epithelial tubules by growth factor HGF depends on the STAT pathway. <i>Nature</i> 391: 285-288;
	Bonni, A., Y. Sun, M. Nadal-Vicens, A. Bhatt, D. A. Frank, I. Rozovsky, N. Stahl, G.D. Yancopoulos, and M.E. Greenberg. 1997. Regulation of gliogenesis in the central nervous system by the JAK-STAT signaling pathway. <i>Science</i> 278: 477-483;
	Grobstein, C. 1955. Inductive interaction in the development of the mouse metanephros. <i>J. Exp. Zool.</i> 130: 319-339;
	Gruenwald, P. 1943. Stimulation of nephrogenic tissue by normal and abnormal inductors. <i>Anat. Rec.</i> 86: 321-335;

EXAMINER	WTR	DATE CONSIDERED	3/14/05
----------	-----	-----------------	---------

\*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (REV. 8-83)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		Atty. Docket No. <b>58040-A-PCT-US/JPW/ADM</b>	U.S. Serial No. <b>09/980,853</b>
		<b>INFORMATION DISCLOSURE CITATION</b> (Use several sheets if necessary)		Applicants: <b>Jonathan M. Barasch et al.</b>	
				Filing Date <b>November 2, 2001</b>	Group Art

**OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)**

- Hartner, A. et al. Cytokine-induced expression of leukemia inhibitory factor in renal mesangial cells. *Kidney International* 45: 1562-1571, 1994;
- Hartner, A. et al. Renal mesangial cells have the capacity to synthesize and react to leukemia inhibitory factor. *Ann. N.Y. Acad. Sci.* 762 (Interleukin-6-Type Cytokines): 424-425, 1995 (Abstract);
- Herzlinger, D., J. Qiao, D. Cohen, N. Ramakrishna, and A.M.C. Brown. 1994. Induction of Kidney epithelial morphogenesis by cells expressing Wnt-1. *Develop. Biol.* 166: 815-818;
- Karavanova, I.D., L.F. Dove, J.H. Resau, and A.O. Perantoni. 1996. Conditioned media from a rat ureteric bud cell line in combination with bFGF induces complete differentiation of isolated metanephric mesenchyme. *Development* 122: 4159-4167;
- Kispert, A., S. Vainio, A.P. McMahon. 1998. Wnt-4 is a mesenchymal signal for epithelial transformation of metanephric mesenchyme in the developing kidney. *Development* 125: 4225-4234;
- Mayer, M., Bhakoo, K., and M. Noble. 1994. Ciliary Neurotrophic factor and leukemia inhibitory factor promote the generation, maturation and survival of oligodendrocytes in vitro. *Development* 120: 143-153;
- Morel, D.S. et al. Renal synthesis of leukemia inhibitory factor. *Cytokine* 12(3): 265-271, 2000 (Abstract);
- Murphy, M., K. Reid, D.J. Hilton, and P.F. Bartlett. 1991. Generation of sensory neurons is stimulated by leukemia inhibitory factor. *Proc. Natl. Acad. Sci. USA* 88: 3498-3501;
- Murphy, M., K. Reid, M.A. Brown, P.F. Bartlett. 1993 Involvement of leukemia inhibitory factor and nerve growth factor in the development of dorsal root ganglion neurons. *Development* 117: 1173-1182;
- Murphy, M., K. Reid, M. Ford, J. B. Furness, and P. F. Bartlett. 1994. FGF2 regulates proliferation of neural crest cells, with subsequent neuronal differentiation regulated by LIF or related factors. *Development* 120: 3519-3528;
- Perantoni, A.O., L.F. Dove and I. Karavanova. 1995. Basic fibroblast growth factor can mediate the early inductive events in renal development. *Proc. Natl. Acad. Sci. USA*. 92: 4696-4700;
- Sariola, H., P. Ekblom, S. Henke-Fahle. 1989. Embryonic neurons as in vitro inducers of differentiation of nephrogenic mesenchyme. *Devel. Biol.* 132: 271-281;

EXAMINER *WTZ*

DATE CONSIDERED

*3/14/05*

\*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

